Transition Networks Product Line Card

Media Conversion

Ethernet	Description	Point System™ Card	Stand-Alone	Just Convert-IT™	PCI-Powered	
	Ethernet 10BASE-2 to 10BASE-T 10BASE-T to 10BASE-FL MM or SM	CETTF10xx-105	E-TBT-FRL-05	J/E-CX-TBT-02	E-TBT-FRL-Nxx-02	Ethernet
	Ethernet or Token Ring Multimode to Single Mode		F-SM-MM-05			
	Ethernet Transceiver AUI to 10BASE-T		E-TBT-MC05			
Fast Ethernet	**Description**	**Point System™ Card**	**Stand-Alone**	**Just Convert-IT™**	**PCI-Powered**	
	Fast Ethernet 100TX to 100FX MM or SM Class A 100TX to 100FX MM or SM Class B	CFETF101x-110 CFETF101x-205	E-100BTX-FX-05	J/FE-CF-04	E-100BTX-FX-Nxx-02	Fast Ethernet
	Fast Ethernet or ATM Multimode to Single Mode	CFMFF1xxx-200	F-SM-MM-02 or SFMFF1xxx-200			
	Power-over-Fast-Ethernet 100TX to 100FX MM or SM		SFEPE101x-1x0			
10/100	**Description**	**Point System™ Card**	**Stand-Alone**	**Just Convert-IT™**		
	10/100 10/100TX to 100BASE-SX MM	CSETF101x-205	SSETF101x-205			10/100
	10/100 Bridging OAM/IP remotely managed 10/100TX to 100FX MM or SM 10/100TX to 100FX with Remote Management 10/100TX Redundant Link Protector 10/100TX to 100FX MM or SM	CFBRM10xx-1xx CSRFB10xx-100 CBFTF1010-130 CBFTF10xx-105	SFBRM10xx-1xx SSRFB10xx-100 SBFTF1010-130 SBFTF10xx-105	J/E-PSW-FX-03		
	10/100 Mini 10/100TX to 100FX MM or SM		Mx/E-PSW-FX-02(xx)			
	10/100 Bridging PoE 10/100BASE-TX to 100BASE-FX MM or SM		SPOEB10xx-100			
100/1000	**Description**	**Point System™ Card**	**Stand-Alone**			100/1000
	100/1000 Bridging 100BASE-FX to 1000BASE-X	CGFEB13xx-150 CGFEB1x40-170	SGFEB13xx-150 SGFEB1x40-170			
Fast Ethernet	**Description**	**ION Card**	**ION Stand-Alone**			
	Fast Ethernet 100Base-TX to 100Base-FX 10/100Base-TX to 100Base-FX	C2110 Series C2210 Series				Fast Ethernet
	Fast Ethernet 10/100/1000Base-T to 100Base-FX with 802.3ah Link OAM Remote Management	C2220 Series	S2220 Series			
Gigabit Ethernet	**Description**	**ION Card**	**ION Stand-Alone**			
	Gigabit Ethernet 1000Base-T to 1000Base-SX/LX 10/100/1000Base-T to 1000Base-SX/LX	C3110 Series C3210 Series				Gigabit
	Gigabit Ethernet 10/100/1000Base-T to 1000Base-SX/LX with 802.3ah Link OAM Remote Management	C3220 Series	S3220 Series			
	Gigabit Ethernet 10/100/1000Base-T to 1000Base-SX/LX with 802.1ag Service OAM	C3230 Series	S3230 Series			
DS3-E3/T3	**Description**	**Point System™ Card**	**Stand-Alone**	**ION Card**	**ION Stand-Alone**	
	DS3-E3/T3 (2) BNC to Multimode or Single Mode	CCSCF30xx-11x	SCSCF30xx-11x	C6210	S6210	DS3-E3/T3

Available options in most product families:
- Multimode, Single Mode, Bi-Di and SFP slot
- ST, SC, L, and LC connector types

TRANSITION NETWORKS®

Media Conversion

10/100/1000	Description	Point System™ Card	Stand-Alone	
	10/100/1000 Ethernet: 10/100/1000BASE-TX to 1000BASE-SX/LX MM or SM	CGFEB10xx-120	SGFEB10xx-120	
	10/100/1000 Ethernet: Mini 10/100/1000BASE-TX to 1000BASE-SX/LX MM or SM		M/GE-PSW-xx-01	
	10/100/1000 Ethernet 802.3ah Bridging: 10/100/1000BASE-TX to 1000BASE-BX LX MM or SM with OAM or IP-based Remote Management	CBFFG10xx-1xx CBFFG4040-1xx	SBFFG10xx-1xx SBFFG4040-1xx	
	10/100/1000 Ethernet 802.3ah/802.1ag/Y.1731: 10/100/1000 Demarcation Device		S3240 S3280	
	10/100/1000 Bridging Power-over-Ethernet: 10/100/1000BASE-T to 1000BASE-X MM or SM or SFP		SGPOE10xx-1x0	

10/100/1000

Gigabit Ethernet	Description	Point System™ Card	Stand-Alone	Just Convert-IT™
	Gigabit Ethernet: 1000BASE-SX MM to 1000BASE-LX SM	CFMFF1xxx-220	SFMFF1xxx-220	
	Gigabit Ethernet: 1000BASE-SX MM to 1000BASE-LX SM retiming	CFMFF13xx-280	SFMFF13xx-280	
	Gigabit Ethernet: 1000BASE-T to 1000BASE-SX/LX MM or SM	CGETF10xx-110	SGETF10xx-110	J/GE-CF-01(xx)

Gigabit Ethernet

10 Gigabit Ethernet	Description	Point System™ Card	Stand-Alone	Just Convert-IT™
	10Gigabit Ethernet: 10GBase-xx XFP tp 10GBase-xx XFP	CTGFF4747-100	STGFF4747-100	
	10Gigabit Ethernet: 10GBase-xx SFP tp 10GBase-xx SFP+	CTGFF4848-100	STGFF4848-100	

10G

Protocol Independent	Description	Point System™ Card	Stand-Alone	
	Optical Line Converter with SFP slots: (2) slots for SFP modules	CFMFF4040-100	SFMFF4040-100	

Indep.

Serial	Description	Point System™ Card	Stand-Alone	Just Convert-IT™
	High Speed Serial : (V.35/X.21/RS449/RS530/RS232), 26-pin to Multimode or Single Mode	CPSVT26xx-10x	SPSVT26xx-10x	
	RS232: DB9 to Multimode or Single Mode, DB9 to Multimode	CRS2F311x-100	SRS2F311x-100	J/RS232-xF-01(xx)
	RS232/422/485 to Fast Ethernet - Device Server: DB9 to 10/100BASE-TX RJ-45		SDSFE3110-120	
	RS422/485: DB9 or Terminal Block to Multimode or Single Mode	CRS4F3x1x-100	SRS4F3x1x-100	

Serial

Industrial

Industrial	Description	Part Number
	Industrial Mini 10/100 Bridging Media Converter: 10/100BASE-TX to 100BASE-FX	M/E-ISW-FX-01(xx) & M/E-ISW-FX-01AC
	Unmanaged Industrial Media Converters: 10/100BASE-TX to 100BASE-FX MM or SM UL C1 D2, (1) 10/100/1000BASE-T port to (1) 1000BASE-X Port UL C1 D2	SISTF101x-211-LRT SISTG10xx-211-LRT
	Unmanaged Industrial Switches (4) 10/100BASE-TX to (1) 100BASE-FX MM or SM, (4) 10/100BASE-TX POE ports to (1) 100BASE-FX Port	SISTF101x-241-LRT SISTP10xx-141-LRT
	Unmanaged Industrial Switches (5) 10/100BASE-TX UL C1 D2, (8) 10/100BASE-TX UL C1 D2	SISTF1010-250-LRT SISTF1010-280-LRT
	Unmanaged Industrial Switch (16) 10/100BASE-TX ports + (2) 10/100/1000BASE-T, or 100/1000BASE-X SFP Combo Ports	SISTF1040-162D-LRT
	Unmanaged PoE+ Ethernet Switch (4) 10/100/1000Base-T(X) with PoE+ (2) SFP 1000Base-X Mini-GBIC	SISTP1040-242-LRT
	Unmanaged PoE+ Switch (8) 10/100/1000Base-T(X) with PoE+	SISTP1010-380-LRT
	Managed Industrial Switches (6) 10/100 BASE-TX to (2) 100BASE-FX MM or SM, (16) 10/100Base-TX ports + (2) 10/100/1000Base-T or 100/1000Base-X SFP Combo Ports UL C1 D2 GL	SISTM101x-xxx-LRx SISTM1040-262E-LRT
	Managed Industrial PoE Switch (8) 10/100 BASE-TX POE ports +, (2) 10/100/1000BASE-T or 100/1000 SFP	SISPM1040-182D-LRT
	Managed Gigabit Industrial Switches (4) 10/100/1000Base-T + (4) 100/1000 SFP ports UL C1 D2, (6) 10/100/1000 BASE-T + (2) 10/100/1000BASE-T or 100/1000 SFP UL C1 D2	SISGM1040-244-LRT SISGM1040-262D-LR
	Managed All-Gigabit PoE+ Switch (8) 10/100BASE-TX PoE+ to (4) Gigabit SFP Combo ports	SISPM1040-384-LRT
	Class 1 Div 2 Managed All-Gigabit Switch (6) 10/100/1000BASE-T +, (2) Combo Ports 10/100/1000BASE-T or 100/1000BASE-X SF	SISGM1040-262E-LRT
	Managed Substation-Rated Switch 4) 10/100/1000BASE-T + (4) 100/1000 SFP ports, (7) 10/100/1000BASE-T + (3) 100/1000 SFP ports + (1) Combo port	IND-3280-L IND-3284-L

Mini

Unmanaged

Managed

Available options in most media converter product families:
Available options in most product families:
- Multimode, Single Mode, Bi-Di and SFP slot
- ST, SC, L, and LC connector types

Media Conversion

T1/E1	Description	Point System™ Card	Stand-Alone	ION Card	ION Stand-Alone	
	T1/E1 RJ-48 to Multimode or Single Mode	CSDTF10xx-1xx	SSDTF10xx-1xx	C6010	S6010	T1/E1
	4x T1/E1/J1 **(4) RJ-48 to Multimode or Single Mode**	C4TEF10xx-12x	S4TEF10xx-12x	C6110	S6110	T1/E1
	4x T1/E1/J1 + 10/100 Ethernet (4) RJ-48 + (1) 10/100 RJ-45 to Multimode or Single Mode	C4TEF10xx-11x	S4TEF10xx-11x	C6120	S6120	T1/E1
	Single port T1/E1 over fiber with 10/100/1000 Ethernet port		MB-1			T1/E1
	Quad port T1/E1 over fiber with 10/100/1000 Ethernet port		MB-4			T1/E1
	8/16/32 port T1/E1 over fiber with 10/100/1000 Ethernet port		MB-8 MB-16 MB-32			T1/E1
Liberator S	**Description**	**Point System™ Card**	**Stand-Alone**	**ION Card**	**ION Stand-Alone**	ISDN
	ISDN converter, splitter, switch and concentrator		LIB-xxxx			ISDN
POTS 2-wire	**MB-32**	**Point System™ Card**	**Stand-Alone**			POTS
	POTS 2-wire Twisted Pair to Multimode or Single Mode	CAPTF33xx-1xx	SAPTF33xx-1xx			POTS
Analog CCTV	**Description**		**Just Convert-IT™**			CCTV
	Analog CCTV Video: NTSC, PAL, SECAM BNC to Multimode or Single Mode		J/VD-xX-01			CCTV

Point System™

Point System™	Description	Part Number	
	Point System™ Chassis 19-slot chassis 19-slot with -48V power 18-slot chassis 18-slot with -48V power	CPSMC1900-100 CPSMC1910-100 CPSMC1800-100 CPSMC1810-100	Point System™ Chassis
	Point System™ Chassis 13-slot chassis 13-slot with -48V power 13-slot with 24VDC power	CPSMC1300-100 CPSMC1310-100 CPSMC1320-100	Point System™ Chassis
	Point System™ Chassis 8-slot chassis 8-slot with -48V power	CPSMC0800-100 CPSMC0810-100	Point System™ Chassis
	Point System™ Chassis 2-slot chassis 2-slot with Last Gasp option 2-slot with dual ext. power 2-slot with Last Gasp and dual ext. power	CPSMC0200-200 CPSMC0200-210 CPSMC0200-226 CPSMC0200-221	Point System™ Chassis
	Point System™ Chassis 1-slot with ext. power 1-slot with int. power 1-slot with dual ext. power	CPSMC0100-200 CPSMC0100-210 CPSMC0100-226	Point System™ Chassis
	Point System™ Chassis Management Modules Single Slot Master Module Dual Slot Master Module Single Slot Expansion Module	CPSMM-120 CPSMM-200 CPSMM-210	Point System™ Chassis

Focal Point
SNMP management software
http://www.transition.com/focalpoint/

Free of Charge

The ION Platform

The ION Platform	Description	Part Number	
	ION Platform Standard ION 19-Slot Chassis with AC Power Supply Standard ION 19-Slot Chassis with DC Power Supply	ION219-A ION219-D	ION Chassis
	ION Face Plate	IONFP	ION Chassis
	ION Platform Desktop ION 1-Slot Chassis with AC Power Supply	ION001-A	ION Chassis
	Power Supplies Redundant ION AC Power Supply for 19-Slot Chassis Redundant ION DC Power Supply for 19-Slot Chassis	IONPS-A IONPS-D	Power
	ION Dry Contact Relay Module for ION AC Power Supply ION DC Power Supply	IONDCR IONDCR-R1	ION Accessories
	Management Module ION Management Module	IONMM	ION Accessories
	Adaptor Card ION Adaptor Card for Mounting Point System Cards into an ION Chassis	IONADP	ION Accessories

Switching

Managed Switches	Description	Part Number	
	100/1000 Managed Switch 6-port 100/1000 dual speed SFP + (2) 100/1000 dual speed SFP/RJ-45 combo port Managed Switch 16-port 100/100 dual speed SFP + (8) 100/1000 dual speed SFP/RJ-45 Combo port Managed Switch	MIL-SM8DPA SM24DPA	Fiber
	100 Managed OAM Switch 24-port 100BASE-X 802.3ah OAM Switch	SM24-100SFP-AH	Fiber
	1000 Managed OAM Switch (24) 1000BASE-X SFP Ports, (2) 10G XFP Ports and (2) expansion slots for modules	SM24-1000SFP-AH	Fiber
	10/100 Managed Switches 8-port 10/100BASE-TX Layer 2 8-port 10/100BASE-TX Layer 2 with (1) 100BASE-FX uplink port	MIL-SM800P MIL-SM801P(xx)	10/100
	10/100 Power-over-Ethernet Managed Switches 8-port 10/100 POE Remotely Managed switch with (8) POE Injector ports and (2) SFP/RJ-45 combo ports	MIL-SM8TXAF2GPA	PoE
   	10/100/1000 Managed Switches 8-port 10/100/1000 + (2) 100/1000 dual speed SFP/RJ-45 Combo port Managed Switch 6-port 10/100/1000 + (2) 100/1000 dual speed SFP/RJ-45 Combo port Managed Switch 8-port Gigabit (4 10/100/100 + 4 100/1000 dual speed SFP ports) Layer 2 Remote IP-Managed Switch 7-port 10/100/1000 + (1) RJ- 35/SFP Combo ports Web Managed Switch 9-port 10/100/1000BASE-T Layer 2 Remote IP-Managed with (2) SFP/RJ-45 combo ports for Indoor/Protected Outdoor Environments 24-port 10/100/100 + 4 dual speed 100/1000 SFP/RJ45 combo ports Layer 2 Managed Switch	SM10T2DPA SM8T2DPA MIL-SM4004TG MIL-SW8T1GPA MIL-SM8002TG MIL-SM24T4DPA	10/100/1000
	10/100/1000 Remotely Managed Switch 20-port 10/100/1000 + (4) RJ-45/SFP Combo ports	MIL-SEM24T4GPA	10/100/1000
	10/100/1000 Power-over-Ethernet Managed Switch 8-port 10/100/1000 PoE + (2) 100/1000 Dual speed SFP slot managed Switch 8-port 10/100/1000 PoE Plus + (2) 100/1000 Dual Speed SFP/RJ-45 Combo port Managed Switch 24-port 10/100/1000 PoE managed switch, 4 of which are 100/1000 SFP/RJ-45 Combo pors	SM8TAF2DPA SM8TAT2DPA MIL-SM24TAF4GPA	10/100/1000

Unmanaged Switches	Description	Part Number	
	10/100 Unmanaged Switches 5-port 10/100BASE-TX 5-port 10/100BASE-TX with (1) fiber port 8-port 10/100BASE-TX 8-port 10/100BASE-TX with internal power supply	MIL-S500 MIL-S501(xx) MIL-S800 MIL-S800i-v2	10/100
	Compact 10/100 Unmanaged Switch 24-port 10/100BASE-TX	S24TXA	10/100
	10/100/1000 Unmanaged Switch Compact 8-port 10/100/1000BASE-T with internal power supply	MIL-S8TA	10/100/1000
	10/100/1000 Unmanaged Switch 24-port 10/100/1000BASE-T with (2) SFP uplink slots	MIL-S24T2GPA	10/100/1000

SFP

Standard	Description	Part Number	
	100BASE-FX/OC-3 Multimode or Single Mode CWDM Single Mode Multimode Simplex Single Mode Simplex	TN-SFP-OC3x TN-SFP-OC3-Cxx TN-SFP-OC3MBxx TN-SFP-OC3SBxx	OC-03 OC-12/STM-4
	OC-12/STM-4 Multimode or Single Mode CWDM Single Mode Single Mode Simplex	TN-SFP-OC12x TN-SFP-OC12-Cxx TN-SFP-OC12SBxx	OC-03 OC-12/STM-4
	1000BASE-SX Multimode Extended Multimode SX Simplex	TN-SFP-SXx TN-SFP-ESXx TN-SFP-SXBx	1000BASE
	1000BASE-LX Single Mode Single Mode CWDM Single Mode CWDM Single Mode LX Simplex Single Mode Bi-Di	TN-SFP-xLXxx TN-SFP-FC4XSxx TN-SFP-LXx-Cxx TN-SFP-FC4XS40-Cxx TN-SFP-LXBxx TN-SFP-BXxx	1000BASE
	1000BASE-X Extended Temperature (-40° – 85°C) Single Mode Single Mode Simplex	TN-SFP-LXxT TN-SFP-LXBxxT	1000BASE
	OC-48/STM-16/ Fibre Channel 1x/2x/1000BASE-X Multimode or Single Mode CWDM Single Mode	TN-SFP-FC2Xxxx TN-SFP-OC48-Cxx	Fibre Channel
	Fibre Channel 1x/2x/4x/1000BASE-X Multimode	TN-SFP-FC4Xxx	Fibre Channel

Cisco Compatible	Description	Part Number	
	1000BASE-T UTP (RJ-45)	TN-GLC-T	1000BASE
	1000BASE-SX Multimode Multimode Extension	TN-GLC-SX-MM TN-GLC-SX-MM-2K	1000BASE
	1000BASE-LX Single Mode Single Mode Single Mode Bi-Di CWDM Single Mode	TN-GLC-LH-SM TN-GLC-ZX-SM TN-GLC-BX-x TN-CWDM-SFP-xx	1000BASE
	1000BASE-X Extended Temperature (-40° – 85°C) Multimode or Single Mode	TN-SFP-GE-x TN-GLC-xx-xx-RGD	1000BASE
	100BASE-FX Multimode Single Mode Single Mode Bi-Di CWDM Single Mode	TN-GLC-FE-100FX TN-GLC-FE-100LX TN-GLC-FE-100BX-x TN-CWDM-100LX-1xx0	100BASE
	100BASE-FX Extended Temperature (-40° – 85°C) Multimode or Single Mode	TN-GLC-FE-xx-RGD	100BASE

HP Compatible	Description	Part Number	
	1000BASE-SX 1000BASE-LX 1000BASE-ZX	TN-J4858C TN-J4859C TN-J4860C	1000BASE

Juniper Compatible	Description	Part Number	
	100Base-FX 1000Base-SX 1000Base-LX	TN-EX-SFP-1FE-xx TN-JX-GE-100FX TN-EX-SFP-1GE-SX TN-EX-SFP-1GE-LX	1000BASE

NIC

NICs	Description	Part Number	
	Fast Ethernet 100BASE-FX PCI 100BASE-FX PCIe	N-FX-xx-03 N-FXE-xx-02	100 Base
	Gigabit Ethernet 1000BASE SX/LX PCI 1000BASE SX/LX PCIe	N-GxX-xx-02 N-GXE-xx-01	Gigabit

PCMCIA

PCMCIA Cards	Description	Part Number	
	Fast Ethernet 100BASE-FX	PCM32-FX-SC-01	Fast Ethernet
PCIe Cards	**Description**	**Part Number**	
	Fast Ethernet 100BASE-FX	NEC-FXE-xx-01	
	Gigabit Ethernet 1000BASE-FX	NEC-GXE-xx-01	

GBIC

GBICs	Description	Part Number	
	1000BASE-SX MM 1000BASE-LX SM 10 km 1000BASE-LX SM 30 km	TN-GB-MM5 TN-GB-SM5 TN-GB-SM53	1000BASE

XFP

MSA Standard XFPs	Description	Part Number	
	10GBASE-SR 10GBASE-LR 10GBASE-ER 10GBASE-ZR	TN-XFP-SR TN-XFP-LRx TN-XFP-ER TN-XFP-ZR	10GBASE
	1000BASE-LR Extended Temperature (-40° – 85°C) 10GBASE-LR	TN-XFP-LRx-T	
	CWDM Single Mode	TN-XFP-LRx-Cxx	
Cisco Compatible	**Description**	**Part Number**	
	Simple Mode Bidi Multimode Single Mode CWDM	TN-XFP-x-xx TN-XFP-10G-MM-SR TN-XFP-10Gxx-OC192xx TN-CWD-XFP-1xx0-x0	
MSA Standard SFP+	**Description**	**Part Number**	
	Multimode Single Mode	TN-10GSFP-SR TN-10GSFP-LRx	

CWDM

Course Wavelength Division Multiplexing	Description	Part Number	
	Mux/Demux 4 Channel 8 Channel 16 Channel	CWDM-M4xxxCR CWDM-M8xxxCR CWDM-M1631LCR	Channels
	Add/Drop Mux Add/Drop with "East/West" Lines	CWDM-A2AxxxLCR	

PoE

Power-over-Ethernet	Description	Part Number	
	POE Injectors 1-port POE injector	MIL-L100i	Power-over-Ethernet
	POE+ Injectors 1-port POE+ injector	L1000i-at	
	POE Media Converters (PSE) 100TX to 100FX 10/100TX to 100FX 10/100/1000T to 1000X	SFEPE101x-1x0 SPOEB10xx-100 SGPOE10xx-1x0	
	8-port 10/100/1000 PoE + (2) 100/1000 Dual speed SFP slot managed Switch	SM8TAF2DPA	
	8-port 10/100/1000 PoE Plus + (2) 100/1000 Dual Speed SFP/RJ-45 Combo port Managed Switch	SM8TAT2DPA	
	24-port 10/100/1000 PoE managed switch, 4 of which are 100/1000 SFP/RJ-45 Combo ports	MIL-SM24TAF4GPA	
	POE Managed Switch 8-port 10/100 POE Remotely Managed switch with (8) POE Injector ports and (2) SFP/RJ-45 Combo ports	MIL-SM8TXAF2GPA	

Packetband

TDM over IP/ISDN	Description	Part Number	
	Single port T1/E1 CESoPSN unit	PB-TDM-1	TDM over IP/ISDN
	Quad port T1/E1 CESoPSN unit	PB-TDM-4	
	8/16/32 port T1/E1 CESoPSN unit	PB-TDM-8 PB-TDM-16 PB-TDM-32	
	V.35/X.21 port CESoPSN unit	PB-TDM-V35 PB-TDM-X21	
	Single or Quad port BRI over IP unit	PB-ISDN-1B PB-ISDN-4B	
	Single or Quad port PRI over IP unit	PB-ISDN-xP	
	DbManager Software: Windows GUI for full management of PacketBand, MediaBand & Liberator products	DBM-xxxx	

X2

Cisco Compatible	Description	Part Number	
	Multimode Single mode CWDm	TN-X2-10GB-SR TN-X2-10GB-xx TN-CWDM-X2-1xx0-x0	10G

SFP+

Cisco Compatible	Description	Part Number	
	Multimode Single mode Single mode Bidi CWDm Single Mode Simplex	TN-SFP-10G-SR TN-SFP-10G-xx TN-SFP-10G-x-xx TN-CWDM-10G-1xx0-x0 TN-10GSFP-LRBxx	10G

Mounting Options

Mounting	Description	Part Number
	Stand-Alone Converter Racks 12-slot Rack 4-slot Shelf	E-MCR-05 RMS19-SA4-01
	Wall Mount Brackets DIN Rail Mount Ext. DIN Rail Mount Flat DIN Rail Mount Flat Small DIN Rail Mount Wall Mount Bracket: 4.0” Wall Mount Bracket: 5.0” Wall Mount Bracket: 3.2” Vertical Wall Mount Bracket Ext. Vertical Wall Mount Bracket Wall Mount Bracket: Mini Wall Mount Bracket Kit	WMBD WMBD-E WMBD-F WMBD-FS WMBL WMBP WMBS WMBV WMBV-E WMBM WMBJ-V
	Wide Input (24 – 60VDC) Power Supplies Piggy Back Piggy Back Point System™ Stand-Alone Piggy Back Double High Point System™	SPS-2460-CC SPS-2460-PS SPS-2460-SA

Fiber Patch Cords

FPC-____-____-__M

Cable Type

MD5	MM 50/125µm duplex
MD6	MM 62.5/125µm duplex
SD	SM 8/125µm duplex
MD5G	MM 50/125µm duplex (10-Gigabit Optimized)

Connector Type

LC	LC/PC
MT	MT-RJ/PC
SC	SC/PC
ST	ST/PC

(List each end separately.)

Length

xx	Length in meters

Available lengths:
1, 2 and 3 meters

Note: Other lengths may be available upon request.

Examples:

FPC-MD6-LCMT-03M
Fiber Patch Cord, duplex multimode 62.5/125µm, LC to MT-RJ, 3 meters long

FPC-SD-SCSC-01M
Fiber Patch Cord, duplex single mode 8/125µm, SC to SC, 1 meter long

Copper Patch Cords

CPC-____-__F

Cable Type

5EB	Cat 5e straight-through
X5ER	Cat 5e crossover
6B	Cat 6 straight-through
X6R	Cat 6 crossover

Length

xx	Length in feet

03 = 3 ft. [0.91 m]

Available lengths:
1, 2, 3, 5 and 10 feet

Notes:
All cables include molded boot; same color as the cable.

Standard color for straight-through cables is **black**. Standard color for cross-overcables is **red**.

Custom colors and lengths may be available upon request.

Contact Us

World Sales Offices

NORTH AMERICA
Worldwide Headquarters
United States
tel: 952.941.7600
toll free: 800.526.9267
fax: 952.941.2322

Canada
tel: +1 952.941.7600
fax: +1 952.941.2322

LATIN AMERICA
Mexico / Central America / Caribbean
tel: +1 952.996.1690
fax: +1 952.941.2322

South America
tel: +54 11 4554 8076
fax: +1 952.941.2322

Brazil
tel: +55 11 8244 7630
fax: +1 952.941.2322

EUROPE
EMEA Headquarters / Germany / Nordic
tel: +49 611 974 8460
fax: +49 611 950 4672

Eastern / Southern Europe
tel: +420 2 2426 6901
fax: +420 2 2426 6854

France / North Africa
tel: +33 1 6042 3042
fax: +1 952.941.2322

UK / Ireland / Sub Saharan Africa
tel: +44 1204 658098
fax: +44 1204 607742

ASIA
China
tel: +86 21 3632 1919
fax: +86 21 3632 1668

Japan / Korea
tel: +81 3 5403 6470
fax: +81 3 5403 6471

Southeast Asia / Hong Kong / India
tel: +65 6288 9810
fax: +65 6234 0564

Worldwide Headquarters & U.S. Sales

United States
tel: 952.941.7600
toll free: 800.526.9267
fax: 952.941.2322

10900 Red Circle Drive
Minnetonka, MN 55343 USA

www.transition.com
sales@transition.com
info@transition.com
techsupport@transition.com

900121 (0512)
©2012 Transition Networks, Inc.
All trademarks are the property of their respective owners.
Technical information is subject to change without notice.

TRANSITION NETWORKS®